

परशुराम नगरपालिका

नगर कार्यपालिकाको कार्यालय



आ.व. :- २०८०/०८१



जोगबुडा, डडेल्धुरा सुदूरपश्चिम प्रदेश, नेपाल

ट्रेक्टर (ट्रली सहित) क्याटलग सपिङ्ग विधिबाट खरिद सम्बन्धी प्रस्ताव आव्हानको सूचना

(प्रथम पटक प्रकाशित मितिः २०८१/०८/१२)

यस नगरपालिकाको आ.व. २०८१/०८२ को स्वीकृत कार्यक्रम अनुसार कार्यालय प्रयोजनको लागि १ थान ट्रेक्टर (ट्रली सहित) खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३ को दफा ८ तथा सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम उत्पादक तथा अधिकृत बिकेताद्वारा निर्धारित दरमा (क्याटलग सपिङ) खरिद गर्ने कार्यविधि, २०७४ (क्याटलग सपिङ) विधिबाट खरिद गर्नुपर्ने भएकोले इच्छुक इजाजत प्राप्त उत्पादक कम्पनी वा त्यसको आधिकारिक बिकेताहरुले आ-आफ्नो फर्म दर्ताको प्रमाण-पत्र, भ्याट/प्यान दर्ता प्रमाणपत्र, Letter of Authorization, आ.व. २०८०।०८९ सम्मको करचुक्ता प्रमाणपत्र वा म्याद थप र स्वघोषणा समावेश गरी सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम खरिद उत्पादकको आधिकारिक स्फेसिफिकेशन, गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग) संलग्न राखी यो सूचना प्रकाशित भएको मितिले नवौ दिन बेलुका ४:०० बजे भित्र यस कार्यालयमा ट्रेक्टर (ट्रली सहित) को लागि सिलबन्दि प्रस्ताव पेश गर्नुहुन सुचिकृत उत्पादक वा आधिकारिक बिकेताहरुको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ।

क.स.	सामानको विवरण	संक्षिप्त विवरण र शर्तहरु	संख्या	कैफियत
٩	Tractor With Trolley	Tractor With Trolley कार्यालयबाट स्वीकृत स्पेसिफिकेशन बमोजिम हुनुपर्ने छ र उक्त स्वीकृत स्पेसिफिकेशन यस कार्यालयको वेभसाइट www.psrshurammun.gov.np मा हेर्न सिकनेछ । सम्पर्क नं ०९६-४१९००४	एक	प्रस्ताव खोल्ने समय र स्थानः नवें दिन (मिति २०८१/०८/२० गते) को बेलुका ४:१५ बजे, परशुराम नगरपालिकाको कार्यालय, जोगबुडा, डडेल्धुरा।


प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिकृत

"व्यावसायिक र सिर्जनशिल प्रशासन: विकास,समृद्धि र सुशासन"

फोन: ०९६४९१००४, टोल फ्रिनम्बर १८१० ५०००० १६३

ईमेलः parshurammun@gmail.com, वेवसाइटः http://www.parshurammun.gov.np






Technical Specification of Tractor with Trolley (57-62) HP

			DEEFRED SPECIFICATION
1 0	General	Right Hand Drive with 4x4 drive system with totally flat bottom with Hydraulic	Make:
,			Model:
n	Engine	Nater cooled diesel Engine of Minimum 3000 CC, developing power output not less than (57-62) HP with torque not less than ted RPM should not be less than 540 RPM ,Rated Engine Speed 300 RPM and shall fully equipped with accessories for efficient for	Make: Model:
ω	Emmission Standard	The Emission Standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by "Nepal Vehicle Mass Emmission Standard " Which is to be certified by Department of Transport Management.	
4	Gauges	To include speedometer, water temperature, as necessary for efficient operation and maintenance.	
5	Transmission	Manual shift at least 15 forward and 15 reverse	and the second
6	Hydraulic Lifting		
	Capacity	Not less than 2200 kg.	
7	Steering	Power Steering	
8	Fuel tank capacity	Not less than 60 Liters	
9	Brakes	Mechanical oil immersed type	
10	Ground Clearance	Not less than 400 mm	5.
H	Essential Accessories	1. Head light, reversing light and turn signals	
		2. Speedometer / odometer	
		above items. The accessories features supplied with the tractor shall be as per	
		manufacturer's standard	
12	Colour	Standard Colour	
13	Manuals	One copy of the operator's and owner's instructions and maintenance manual in	
14	Tools	A set of tools as required for general maintenance shall be supplied with in a tool	
		box.	







!	5	16				15
	17 Delivery	16 Warranty				Proven Performance
Municipality , Dadeldhura.	The tractor, RHD, (4x4), and its spare parts shall be delivered to Parshuram	Manufacturer shall provide a minimum of three year warranty after accceptance	Engine	performance of the unit to include the fuel consumption, performance curve of the	manufacturer and theobidger shall provide the manufacturer's data of the	15 Proven Performance The Tractor offered \$1311 be a current model under production by the

Hydraulic Trolley

S.No	S.No Criteria	Requirement	OFFERED SPECIFICATION
μ	Trolley/Cargo Body	Length-10ft, Breath-6ft, height-2ft	
2	Frame Structure	Heavey C-channel of (150*75*10)mm for mainframe and lower channelsection and	
		C-channel (125*65*10)mmfor upper frame.	
w	Body Material	Cross member of cannel section (75°40°5)mm. Floor(base) of	
		trolley MS sheet 4mm and four side of Trolley MS Sheet	
		3mm and support (brassing) of (40°40)mm angle	
4	Axle	Water proof (100*100)mm in section	To the state of th
5	Hydraulic System	Suitable for lifting load using this system with boom cylinder	
		with the capacity not less tan 15 ton with build hydraulic pipe,	
		fitting and accessories.	
6	Tyres	Standard and good quality of size 1000-20	HOLE STATE OF THE
7	Color	Standard color/ as direct by the purchaser	
8	Instruction	All sign and instruction in the vehicle shall be English	
9	Warranty	Manufacturer shall provide a minimum of 1 year warranty	
5	Inspection & Testing	Inspection & Testing Pre & post checked for strength& standard tolerance before ensuring for	
		acceptance.	

of these major items will result in non; responsiveness of the bid. Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance

Prepared By: Lalit Bhatt

Mechanical Engineer

NEC No: 3976 "A" Mechanical

Approved By: Kalpana Bhatt

Chief Administrative Officer
Parshuram Municipality ,Dadeldhura

प्रमुख प्रशासकीय अधिकृत

CS CamScanner

